



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/510,569	02/22/2000	Mizuho Tadokoro	JA9-98-196	3121

7590 05/07/2003  
IBM Corporation  
P O Box 12195  
Dept 9CCA, Building 002  
Research Triangle Park, NC 27709

EXAMINER

DELGADO, MICHAEL A

ART UNIT	PAPER NUMBER
----------	--------------

2143

DATE MAILED: 05/07/2003

10

Please find below and/or attached an Office communication concerning this application or proceeding.

391

**Advisory Action**

Application No.

09/510,569

Applicant(s)

TADOKORO ET AL.

Examiner

Michael S. A. Delgado

Art Unit

2143

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 14 April 2003 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

**PERIOD FOR REPLY [check either a) or b)]**

- a) ☐ The period for reply expires \_\_\_\_\_ months from the mailing date of the final rejection.
- b) ☒ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. **ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).**

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on \_\_\_\_\_. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
  - (b) ☐ they raise the issue of new matter (see Note below);
  - (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
  - (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: \_\_\_\_\_

3. ☐ Applicant's reply has overcome the following rejection(s): \_\_\_\_\_
4. ☐ Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See attachment.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☒ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: None.

Claim(s) objected to: None.

Claim(s) rejected: 1-8 and 17-20.

Claim(s) withdrawn from consideration: 9-16 and 21-40.

8. ☐ The proposed drawing correction filed on \_\_\_\_\_ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). \_\_\_\_\_
10. ☐ Other: \_\_\_\_\_

***Response to Arguments***

In response to the action of coupling. The act of coupling is accomplished by the network interface card initiating the connection to the remote workstation, which is disclosed by Rakavy (Col 9, lines 1-5). The act of decoupling is done prior to passing control to the local computer. The concept of boot strapping, is well known in the art and control is passed to the local computer when all hardware tests indicate that the local computer is in a fit condition to operate on its own. This is indicated when control was passed to the CPU (415) (Col 7, lines 15-25).

The function of storage, on the part of the server "workstation 200" is indicated (Col 10, lines 20-67).

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael S. A. Delgado whose telephone number is 703-305-8057. The examiner can normally be reached on 8 AM - 4.30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A Wiley can be reached on (703) 308-5221. The fax phone numbers for the organization where this application or proceeding is assigned are 703-746-7239 for regular communications and 703-746-7239 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Application/Control Number: 09/510,569


Page 3

Art Unit: 2143



MD

April 29, 2003

  
DAVID WILEY  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100